

STOP DURATION ALERT

STEP 1

Log into the zootaLink platform and navigate to the Main page.

Scenario :

A typical job and lunch break for a driver never exceeds 60 minutes.

To monitor the welfare of the driver an Alert can be set to notify home base that the vehicle has remained stopped for a duration of greater than 90 minutes.

The screenshot displays the ZZOOTA platform interface. On the left, there is a sidebar with a search bar containing 'pre-' and a list of 11 test vehicles, all with status 'Not connected' and speed '0 kph'. The main area shows a map of Brisbane, Australia, with various landmarks and streets visible. At the bottom, there are sections for 'Sensors' and 'Services', each with a '+ Add sensor' and '+ Add service' button respectively. The 'Sensors' section also includes input fields for 'Address:', 'Time:', 'Stop duration:', and 'Driver:'.

Object	Status	Speed
Pre-start Test Logistics Corp. (11)	Not connected	0 kph
Pre-start Test 101	Not connected	0 kph
Pre-start Test 102	Not connected	0 kph
Pre-start Test 103	Not connected	0 kph
Pre-start Test 104	Not connected	0 kph
Pre-start Test 105	Not connected	0 kph
Pre-start Test 106	Not connected	0 kph
Pre-start Test 107	Not connected	0 kph
Pre-start Test 108	Not connected	0 kph
Pre-start Test 109	Not connected	0 kph
Pre-start Test 110	Not connected	0 kph
Pre-start Test 111	Not connected	0 kph

STEP 2

Select "Tools"

The screenshot displays the ZZOOTA application interface. On the left, a sidebar contains a list of objects under the 'Objects' tab. The list includes 'Pre-start Test Logistics Corp. (11)' and eleven 'Pre-start Test' entries (101-111), all with a status of 'Not connected' and a speed of '0 kph'. Below the list is a 'Run script ""' button. The main area is a map of Brisbane, Australia, with various landmarks and streets visible. A red arrow points to a 'Tools' button in the top right corner of the map. At the bottom of the interface, there are sections for 'Sensors' and 'Services', each with a '+ Add sensor' and '+ Add service' button respectively. The 'Sensors' section also includes input fields for 'Address:', 'Time:', 'Stop duration:', and 'Driver:'.

Object Name	Status	Speed
Pre-start Test Logistics Corp. (11)	Not connected	0 kph
Pre-start Test 101	Not connected	0 kph
Pre-start Test 102	Not connected	0 kph
Pre-start Test 103	Not connected	0 kph
Pre-start Test 104	Not connected	0 kph
Pre-start Test 105	Not connected	0 kph
Pre-start Test 106	Not connected	0 kph
Pre-start Test 107	Not connected	0 kph
Pre-start Test 108	Not connected	0 kph
Pre-start Test 109	Not connected	0 kph
Pre-start Test 110	Not connected	0 kph
Pre-start Test 111	Not connected	0 kph

STEP 3

Select "Alerts".

The screenshot displays the ZZOOTA web interface. On the left, a sidebar contains a list of objects under the 'Objects' tab. The list includes 'Pre-start Test Logistics Corp. (11)' and eleven 'Pre-start Test' entries (101-111), all with a status of 'Not connected' and a speed of '0 kph'. A search bar at the top of the list contains the text 'pre-'. Below the list is a 'Run script ""' button. The main area features a map of Brisbane, Queensland, Australia, with various landmarks and streets labeled. A red arrow points to the 'Alerts' option in a dropdown menu that is open on the right side of the map. The dropdown menu also lists 'Geofencing', 'Routes', 'Reports', 'Ruler', 'POI', 'Show point', 'Show address', 'Send command', 'Camera / Media', 'Tasks', 'Maintenance', 'Dashboard', and 'Sharing'. At the bottom of the interface, there are sections for 'Sensors' and 'Services', each with a '+ Add sensor' and '+ Add service' button respectively. The 'Sensors' section also includes input fields for 'Address:', 'Time:', 'Stop duration:', and 'Driver:'.

STEP 4

Select “+” to add.

The screenshot displays the ZZOOTA mobile application interface. At the top left, the ZZOOTA logo is visible. Below it, there are tabs for 'Objects', 'Events', and 'History'. A search bar is present with a magnifying glass icon and a '+' button. A red arrow points to this '+' button. Below the search bar, there are three unchecked checkboxes: 'High RPM', 'Pre-start not complete', and 'Geofence In/Out'. The main part of the screen is a map of Brisbane, Australia, showing various landmarks like St Andrew's War Memorial Hospital, Roma Street Parkland, and the Brisbane River. At the bottom, there are sections for 'Sensors' and 'Services'. The 'Sensors' section has a '+ Add sensor' button and a gear icon. The 'Services' section has a '+ Add service' button and a gear icon. There are also input fields for 'Address:', 'Time:', 'Stop duration:', and 'Driver:'.

STEP 5

Give the Alert a "Name".

The screenshot shows the 'Add new' dialog box in the ZZOOTA application. The dialog has a title bar with a bell icon and the text 'Add new'. Below the title bar are tabs for 'Devices', 'Type', 'Geofencing', 'Schedule', 'Notifications', and 'Command'. The 'Name*' field is the first input field, containing the text 'Driver welfare check'. A red arrow points to this field. Below the name field is the 'Devices*' section, which includes a 'Select all' button, a 'Deselect All' button, and a search icon. The device list contains the following items:

- Pre-start Test Logistics Corp.
- Pre-start Test 101
- Pre-start Test 102
- Pre-start Test 103
- Pre-start Test 104
- Pre-start Test 105
- Pre-start Test 106
- Pre-start Test 107
- Pre-start Test 108
- Pre-start Test 109
- Pre-start Test 110
- Pre-start Test 111

At the bottom of the dialog are two buttons: 'Save' (highlighted in black) and 'Cancel'.

STEP 6

Select the “Devices” you want to add the Alert to.

Add new

Devices | Type | Geofencing | Schedule | Notifications | Command

Name*:
Driver welfare check

Devices*:

Select all	Deselect All	Search
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Pre-start Test Logistics Corp.	<input checked="" type="checkbox"/> Pre-start Test 102	<input type="checkbox"/> Pre-start Test 103
<input type="checkbox"/> Pre-start Test 101	<input type="checkbox"/> Pre-start Test 105	<input type="checkbox"/> Pre-start Test 106
<input type="checkbox"/> Pre-start Test 104	<input type="checkbox"/> Pre-start Test 108	<input type="checkbox"/> Pre-start Test 109
<input type="checkbox"/> Pre-start Test 107	<input type="checkbox"/> Pre-start Test 111	
<input type="checkbox"/> Pre-start Test 110		

Save Cancel

STEP 7

Select "Type".

The screenshot shows the ZZOOTA interface with a map of Brisbane in the background. A white dialog box titled "Add new" is open, with the "Type" tab selected. A red arrow points to the "Type" tab. The dialog box contains the following elements:


- Name*:** A text input field containing "Driver welfare che".
- Devices*:** A list of devices with checkboxes. The "Pre-start Test 102" checkbox is checked. The list includes:
 - Pre-start Test Logistics Corp.
 - Pre-start Test 101
 - Pre-start Test 102 (checked)
 - Pre-start Test 103
 - Pre-start Test 104
 - Pre-start Test 105
 - Pre-start Test 106
 - Pre-start Test 107
 - Pre-start Test 108
 - Pre-start Test 109
 - Pre-start Test 110
 - Pre-start Test 111
- Buttons:** "Save" (black) and "Cancel" (grey).

STEP 8

Choose the “Type” of Alert.

For Info : The Alert we are creating is ;

- A nominated Device.
- Has been stopped longer than 90 minutes.



STEP 9

Choose a “Stop duration”.

IMPORTANT : Enter numbers only.

The screenshot displays the ZZOOTA mobile application interface. A modal dialog box titled "Add new" is open, with the "Type" tab selected. The "Type" dropdown menu is set to "Stop duration". Below this, the "Stop duration longer than(minutes)" field contains the number "90", which is highlighted by a red arrow. At the bottom of the dialog, there are "Save" and "Cancel" buttons. The background shows a map of Brisbane, Queensland, Australia, with various landmarks and streets visible.

STEP 10

Select "Schedule".

The screenshot displays the ZZOOTA mobile application interface. A modal dialog box titled "Add new" is open, featuring a close button (X) in the top right corner. The dialog has a horizontal menu with tabs: "Devices", "Type", "Geofencing", "Schedule", "Notifications", and "Command". The "Schedule" tab is currently selected, highlighted by a red arrow. Below the tabs, the "Type:" dropdown menu is set to "Stop duration". Underneath, there is a text input field labeled "Stop duration longer than(minutes)" with the value "90" entered. At the bottom of the dialog, there are two buttons: "Save" and "Cancel". The background shows a map of Brisbane, Queensland, with various landmarks like the Brisbane City Hall, State Library of Queensland, and Queensland Museum. The bottom of the screen shows a navigation bar with "Sensors" and "Services" sections, each with a "+ Add" button.

STEP 11
Check the “Schedule” box.


The screenshot shows the 'Add new' dialog box in the ZZOOTA application, with the 'Schedule' tab selected. A red arrow points to the 'Schedule' checkbox, which is currently unchecked. Below the checkbox is a 7x24 grid for scheduling. The columns represent time slots from 00:00 to 21:00 in 3-hour increments. The rows represent days of the week: M (Monday), T (Tuesday), W (Wednesday), T (Thursday), F (Friday), S (Saturday), and S (Sunday). At the bottom right of the grid are three buttons: 'Workdays', 'Weekend', and 'Always'. At the bottom left are 'Save' and 'Cancel' buttons.

	00:00	03:00	06:00	09:00	12:00	15:00	18:00	21:00
M								
T								
W								
T								
F								
S								
S								

When the box has been checked the options become available.

The schedule can be set to meet your requirements, eg. you may want the Alert triggered 24/7 or only on weekdays between particular hours.

The calendar can be filled by using the shortcut buttons in the bottom right corner, click and drag or selecting/deselecting each box individually.



In this example the selected "Schedule" is

- 08:30-1600 Monday to Friday and
- 06:00-12:00 Saturday

The screenshot shows the 'Add new' dialog in the ZZOOTA application. The 'Schedule' tab is selected, and the 'Schedule' checkbox is checked. The schedule grid is as follows:

	00:00	03:00	06:00	09:00	12:00	15:00	18:00	21:00
M				Active	Active	Active	Active	
T				Active	Active	Active	Active	
W				Active	Active	Active	Active	
T				Active	Active	Active	Active	
F				Active	Active	Active	Active	
S			Active	Active	Active			
S			Active	Active	Active			

At the bottom of the grid, there are three buttons: 'Workdays', 'Weekend', and 'Always'. The 'Workdays' button is selected. At the bottom of the dialog, there are 'Save' and 'Cancel' buttons.

STEP 12

Select "Notifications"

The screenshot shows the ZZOOTA 'Add new' configuration window. The 'Schedule' tab is selected, and a red arrow points to the 'Notifications' tab. The window contains a schedule grid with columns for time slots (00:00, 03:00, 06:00, 09:00, 12:00, 15:00, 18:00, 21:00) and rows for days of the week (M, T, W, T, F, S, S). A 'Schedule' checkbox is checked. At the bottom, there are 'Save' and 'Cancel' buttons, and a 'Workdays' button is highlighted.

	00:00	03:00	06:00	09:00	12:00	15:00	18:00	21:00
M				■	■	■	■	
T				■	■	■	■	
W				■	■	■	■	
T				■	■	■	■	
F				■	■	■	■	
S			■	■				
S			■	■				

Buttons: **Workdays** | Weekend | Always

Buttons: **Save** | Cancel

STEP 13

Check the “Email notification” box.

The screenshot shows the ZZOOTA interface with a map of Brisbane in the background. A modal dialog box titled "Add new" is open, with the "Notifications" tab selected. The dialog contains the following options:


- Sound notification
- Push notification
- Email notification
- Webhook notification

Below the "Email notification" option, there is a text input field and a note: "For multiple emails separate them via semicolon ex.: user@example.com;user1@example.com". Below the "Webhook notification" option, there is another text input field and a note: "The URL you would like event data posted to." At the bottom of the dialog, there are "Save" and "Cancel" buttons. A red arrow points to the "Email notification" checkbox.

STEP 14


Enter the emails you want the Alert sent to.

IMPORTANT : For multiple emails separate them via semicolon with no spaces.



STEP 15

Select "Save".



A “Stop Duration” Alert has been created.

The screenshot displays the ZZOOTA mobile application interface. At the top left, the ZZOOTA logo is visible. Below it, there are tabs for 'Objects', 'Events', and 'History'. A search bar is present with a magnifying glass icon and a plus sign. On the left side, there is a list of alert types with checkboxes: 'High RPM', 'Pre-start not complete', 'Geofence In/Out', and 'Driver welfare check'. The 'Driver welfare check' option is selected with a checkmark. The main part of the screen shows a map of Brisbane, Australia, with various landmarks and streets labeled. A green notification banner at the top right of the map area says 'Successfully created alert'. At the bottom of the screen, there is a configuration panel with sections for 'Sensors' and 'Services'. The 'Sensors' section has a 'Address:' field and a '+ Add sensor' button. The 'Services' section has a '+ Add service' button. There are also gear icons for settings in both sections.

END OF PRESENTATION